

# POTRUBIA HIGH VACUUM

# POTRUBIA HIGH VACUUM

## Rovné rúry MDPZ



	Ø	50	63	76	102	108	127	152	203
	S	1,25	1,25	1,25	1,25	1,5	1,5	1,5	1,5
MDPZ 3m	kg	5,5	6,9	8,4	11,5	15,9	18,9	22,4	26,2
MDPZ 6m	kg	11,0	13,9	16,8	23,0	31,8	37,3	44,8	52,4

## Kolená MDBF 45 a 90



	Ø	50	63	76	102	108	127	152	203
MDBF 45°	R	100	152	160	153	162	190	228	304
	S	1,5	1,5	1,5	2,0	2,0	2,0	2,0	2,0
	A	150	150	150	170	180	220	230	30
	B	320	325	435	260	280	340	340	230
	kg	0,8	0,9	2,3	3,5	5,9	6,5	7,2	7,5



	Ø	50	63	76	102	108	127	152	203
MDBF 90°	R	100	152	160	153	162	190	228	304
	S	1,5	1,5	1,5	2,0	2,0	2,0	2,0	2,0
	A	150	150	150	170	210	225	270	30
	B	295	295	394	380	450	500	590	400
	kg	1,0	1,3	3,1	5,2	7,9	8,5	9,2	9,4

## Koleno MDBE 90



	Ø	50	63	76	108	127	152
MDBE 90°	B	150	189	228	320	380	456
	R	2,5xD	2,5xD	2,5xD	2,5xD	2,5xD	2,5xD
	S	2,6	2,9	2,9	3,6	4,0	4,5
	kg	0,6	1,0	1,5	3,7	6,3	10,1

## Spojka MDPC



	Ø	50	63	76	89	102	108	114	127	139	152	203
MDPC / MDPC-SDI	kg	0,25	0,28	0,32	0,31	0,37	0,39	0,35	0,43	0,41	0,49	0,6



## Odbočková rúra BPKE 45š , hrúbka 2,0mm



Ø	050-050	063-050	063-063	076-050	076-063	076-076	102-050	102-063	102-076	102-102	108-050	108-063	108-076	108-108
<b>A/C</b>	50	63	63	76	76	76	102	102	102	102	108	108	108	108
<b>B</b>	50	50	63	50	63	76	50	63	76	102	50	63	76	108
<b>L1</b>	300	300	300	300	300	300	400	400	400	400	400	400	400	400
<b>L2</b>	155	155	155	155	155	155	220	220	220	220	220	220	220	230
<b>L3</b>	110	110	105	110	110	110	161	116	116	114	160	160	115	115
<b>S</b>	2,0	2,0	2,0	2,0	2,0	2,0	2,0	2,0	2,0	2,0	2,0	2,0	2,0	2,0
<b>Kg</b>	0,5	0,6	0,7	0,7	0,8	0,9	0,9	0,9	0,9	0,9	1,6	1,9	2,0	2,1

## Y rúra MDYP, oceľ, pozinkovaná, 45š hrúbka 2,0mm



Ø	050-050-050	063-063-063	076-076-076	102-102-102	108-108-108	127-127-127	152-152-152	203-203-203
<b>A</b>	50	63	76	102	108	127	152	203
<b>B/C</b>	50	63	76	102	108	127	152	203
<b>L1</b>	150	150	150	150	200	200	200	200
<b>L2</b>	100	100	100	100	150	150	150	150
<b>S</b>	2,0	2,0	2,0	2,0	2,0	2,0	2,0	2,0
<b>Kg</b>	0,6	0,9	1	1	1,3	2,1	4,8	6,8

## Redukcia MDRP, hrúbka 1,5-2,0mm, rôzne priemery, pozinkovaná/nerez



Ø	063-050	076-050	076-063	102-063	102-076	108-063	108-076	108-102	127-076	127-102	127-108	152-108	152-127	203-152
<b>A</b>	63	76	76	102	102	108	108	108	127	127	127	152	152	203
<b>B</b>	50	50	63	63	76	63	76	102	76	102	108	108	127	152
<b>L</b>	130	175	140	215	165	215	170	170	230	230	165	220	180	200
<b>S</b>	1,5	1,5	1,5	2,0	2,0	2,0	2,0	2,0	2,0	2,0	2,0	2,0	2,0	2,0
<b>Kg</b>	0,25	0,50	0,40	0,70	0,69	0,70	0,72	0,72	1,05	1,05	0,87	1,35	1,10	1,30

## Koncový kryt MDED pozinkovaný, hrúbka 1,5-2,00mm v rôznych priemeroch



Ø	50	63	76	102	108	127	152	203
<b>A</b>	50	63	76	102	108	127	152	203
<b>L</b>	50	50	50	50	50	50	50	50
<b>S</b>	1,5	1,5	1,5	2,0	2,0	2,0	2,0	2,0
<b>kg</b>	0,15	0,20	0,22	0,36	0,38	0,42	0,63	0,95

## Klapka MDKB



	050-050	063-050	063-063	076-063	076-076
<b>MDKB</b>	✓	✓	✓	✓	✓



## Klapka MDKM, strunkový zámok, mikrospínač



	050-050	063-050	063-063	076-063	076-076
<b>MDKM</b>	✓	✓	✓	✓	✓

## Koncovka MDKR, pozinkovaná/nerez



	050-050	063-050	076-063
<b>MDKR</b>	✓	✓	✓

## Spojka SKDH, pozinkovaná/nerez



	050-050	063-063	076-076
<b>SKDH</b>	✓	✓	✓

## Hadicová spojka MDKS



	050-038	050-045	050-050	063-045	063-050	063-063	076-050	076-063	076-076
<b>MDKS</b>	✓	✓	✓	✓	✓	✓	✓	✓	✓

## Flexi hadica, antistatická, PUR



	Ø	38	45	50	63	76
<b>SLAS</b>	kg/m	0,37	0,49	0,60	0,80	0,98

## Flexi hadica, PVC, ocelová výstuž



	Ø	38	45	50	63
<b>SLCA</b>	kg/m	0,30	0,36	0,44	0,52

**Flexi hadica, PUR, s PVC špirálou, medená výstuž**


	Ø	38	45	50	63	76
<b>SLPU</b>	<b>kg/m</b>	0,20	0,25	0,29	0,46	0,55

**Spojka na flexi hadicu**


	022-032	032-044	038-050	050-065	058-075	068-085	077-095
<b>SLEB</b>	✓	✓	✓	✓	✓	✓	✓

	087-112	104-138	130-165	150-180	175-205	200-231	230-250
	✓	✓	✓	✓	✓	✓	✓



	050-135	060-325
<b>FLEB</b>	✓	✓